

Caliper Clearance Guide

Freigängigkeit der GT Kits				
Art.-Nr.		Caliper Clearance Guide		
gelocht	Geschlitzt	A	B	C
101.8001A	102.8001A	OE	OE	OE
101.9003A	102.9003A	44	125	218
101.9006A	102.9006A	51	118	218
111.5001A	N/A	41	103	184
111.6003A	112.6003A	36	110	192
111.6005A	112.6005A	36	110	192
111.6008A	112.6008A	36	110	192
111.6017A	112.6017A	36	110	192
121.7005A	122.7005A	37	110	188
1A1.3001A	1A2.3001A	51	85	170
1A1.3002A	1A2.3002A	51	85	170
1A1.3003A	1A2.3003A	51	85	170
1A1.3004A	1A2.3004A	45	86	168
1A1.5001A	N/A	37	103	184
1A1.5002A	N/A	-	103	184
1A1.5003A	N/A	33	103	184
1A1.5004A	N/A	7	103	184
1A1.5005A	1A2.5005A	40	100	184
1A1.6001A	1A2.6001A	41	110	192
1A1.6005A	1A2.6005A	36	110	192
1A1.6006A	1A2.6006A	23	110	192
1A1.6007A	1A2.6007A	45	110	192
1A1.6008A	1A2.6008A	29	110	192
1A1.6009A	1A2.6009A	32	110	192
1A1.6010A	1A2.6010A	23	110	192
1A1.6011A	1A2.6011A	45	110	192
1A1.6012A	1A2.6012A	38	110	192
1A1.6013A	1A2.6013A	32	110	192
1A1.6014A	1A2.6014A	36	110	192
1A1.6015A	1A2.6015A	32	110	192
1A1.6016A	1A2.6016A	38	110	192
1A1.6017A	1A2.6017A	36	110	192
1A1.6018A	1A2.6018A	34	110	192
1A1.6020A	1A1.6020A	40	110	192
1A1.6022A	1A1.6022A	34	110	192
1A1.6024A	1A2.6024A	29	110	192
1A1.6025A	1A2.6025A	37	104	188
1A1.6026A	1A2.6026A	41	109	194
1A1.6027A	1A2.6027A	17	110	195
1A1.6028A	1A2.6028A	33	110	192
1A1.6029A	1A2.6029A	38	110	192
1A1.6030A	1A2.6030A	40	110	192
1A4.3001A	N/A	44	85	170
N/A	1A5.5004A	40	99	179
1A4.5005A	1A5.5005A	41	96	180
1A4.5006A	1A5.5006A	38	92	183
1A4.5007A	1A5.5007A	41	96	180
1A4.5008A	1A5.5008A	57	92	181
1A4.5009A	1A5.5009A	57	92	181
1A4.5010A	1A5.5010A	57	92	181
1A4.5011A	1A5.5011A	41	96	180
1A4.5013A	N/A	45	99	180
1A4.5014A	1A5.5014A	40	96	180
1A4.6002A	1A5.6002A	51	108	190
1A4.6003A	1A5.6003A	41	110	192
1A4.6004A	N/A	41	110	192
1A4.6005A	N/A	41	110	192
1A4.6006A	1A5.6006A	51	108	190

Freigängigkeit der GT Kits				
Art.-Nr.		Caliper Clearance Guide		
1A4.6007A	1A5.6007A	51	108	190
1A4.6008A	1A5.6008A	41	108	193
1A4.6009A	1A5.6009A	41	110	195
1A4.6010A	1A5.6010A	25	110	195
1A4.6011A	N/A	42	110	195
1B1.7001A	1B2.7001A	48	110	188
1B1.7002A	1B2.7002A	41	110	188
1B1.7003A	1B2.7003A	36	110	188
1B1.7004A	1B2.7004A	40	110	188
1B1.7005A	1B2.7005A	48	110	188
1B1.7006A	1B2.7006A	48	110	188
1B1.7007A	1B2.7007A	41	110	188
1B1.7008A	1B2.7008A	34	110	188
1B1.7009A	1B2.7009A	19	110	188
1B1.7010A	1B2.7010A	29	110	188
1B1.7011A	1B2.7011A	29	110	188
1B1.7012A	1B2.7012A	29	110	188
1B1.7013A	1B2.7013A	48	110	188
1B1.7014A	1B2.7014A	45	110	188
1B1.7016A	1B2.7016A	46	110	188
1B1.7017A	1B2.7017A	51	110	188
1B1.8001A	1B2.8001A	46	122	200
1B1.8002A	1B2.8002A	51	122	200
1B1.8003A	1B2.8003A	41	122	200
1B1.8005A	1B2.8005A	35	122	200
1B1.8006A	1B2.8006A	46	122	200
1B1.8007A	1B2.8007A	36	122	200
1B1.8008A	1B2.8008A	40	122	200
1B1.8009A	1B2.8009A	40	122	200
1B1.8010A	1B2.8010A	21	122	200
1B1.8011A	1B2.8011A	21	122	200
1B1.8012A	1B2.8012A	15	122	200
1B1.8013A	1B2.8013A	47	122	200
1B1.8014A	1B2.8014A	41	122	200
1B1.8015A	1B2.8015A	40	122	200
1B1.8016A	1B2.8016A	29	112	200
1B1.8017A	1B2.8017A	43	122	200
1B1.8018A	1B2.8018A	34	122	200
1B1.8019A	1B2.8019A	16	122	200
1B1.8020A	1B2.8020A	43	122	200
1B1.8021A	1B2.8021A	43	122	200
1B1.8022A	1B2.8022A	25	122	200
1B1.8023A	1B2.8023A	-	122	200
1B1.8024A	1B2.8024A	-	122	200
1B1.8025A	1B2.8025A	17	122	200
1B1.8026A	1B2.8026A	20	122	200
1B1.8027A	1B2.8027A	15	122	200
1B1.8028A	1B2.8028A	32	122	200
1B1.8029A	1B2.8029A	48	122	200
1B1.8030A	1B2.8030A	48	122	200
1B1.8031A	1B2.8031A	39	122	200
1B1.8032A	1B2.8032A	48	122	200
1B1.8033A	1B2.8033A	29	122	200
1B1.8034A	1B2.8034A	61	122	200
1B1.8035A	1B2.8035A	35	122	200
1B1.8037A	1B2.8037A	30	122	200
1B1.8038A	1B2.8038A	49	122	200
1B1.8039A	1B2.8039A	54	122	200
1B1.8040A	1B2.8040A	36	122	200

Caliper Clearance Guide

Freigängigkeit der GT Kits				
Art.-Nr.		Caliper Clearance Guide		
1B1.8041A	1B2.8041A	45	122	200
1B1.8042A	1B2.8042A	51	122	200
1B1.8043A	1B2.8043A	58	122	199
1B1.8044A	1B2.8044A	37	122	200
1B1.8045A	1B2.8045A	38	122	200
1B1.8046A	1B2.8046A	47	122	200
1B1.8047A	1B2.8047A	51	122	200
1B1.8048A	1B2.8048A	34	122	199
1B1.8050A	1B2.8050A	29	122	200
1B1.9003A	1B2.9003A	48	137	215
1B4.6001A	N/A	53	104	182
1B4.6002A	1B5.6002A	55	105	185
1B4.6003A	1B5.6003A	56	110	189
1B4.7001A	N/A	19	110	188
1B4.8001A	1B5.8001A	47	122	200
1C1.6002A	1C2.6002A	40	110	192
1E4.6001A	1E5.6001A	48	109	193
1E4.6002A	1E5.6002A	35	104	191
1F1.6001A	1F2.6001A	25	106	188
1F4.6002A	N/A	25	106	188
1G1.9001A	1G2.9001A	38	125	218
1G1.9002A	1G2.9002A	34	125	218
1G1.9004A	1G2.9004A	45	125	218
1G1.9005A	1G2.9005A	15	125	218
1G1.9006A	1G2.9006A	15	125	218
1G1.9007A	1G2.9007A	15	125	218
1G1.9011A	1G2.9011A	32	125	218
1G1.9012A	1G2.9012A	18	125	218
1G1.9013A	1G2.9013A	33	125	218
1G1.9014A	1G2.9014A	35	125	218
1G1.9015A	1G2.9015A	14	125	218
1G1.9016A	1G2.9016A	28	125	218
1G1.9017A	1G2.9017A	39	125	218
1G1.9018A	1G2.9018A	18	125	218
1G1.9019A	1G2.9019A	46	125	218
1G1.9020A	1G2.9020A	44	125	218
1G1.9022A	1G2.9022A	32	125	218
1G1.9023A	1G2.9023A	15	125	218
1G1.9024A	1G2.9024A	36	125	218
1G1.9026A	1G2.9026A	14	125	218
1G1.9028A	1G2.9028A	46	125	218
1G1.9029A	1G2.9029A	41	125	218
1G1.9031A	1G2.9031A	53	125	218
1G1.9032A	1G2.9032A	32	125	218
1G1.9033A	1G2.9033A	38	125	218
1G1.9034A	1G2.9034A	51	125	218
1G1.9035A	1G2.9035A	36	125	218
1G1.9036A	1G2.9036A	44	125	218
1G1.9037A	1G2.9037A	28	125	218
1G1.9038A	1G2.9038A	31	125	218
1H1.7001A	1H2.7001A	34	110	188
1H1.8001A	1H2.8001A	24	122	200
1H1.8002A	1H2.8002A	40	122	200
1H1.8004A	1H2.8004A	41	122	199
1H1.8005A	1H2.8005A	16	122	200
1H1.8006A	1H2.8006A	34	122	199
1H1.9002A	1H2.9002A	40	137	215
1H1.9004A	1H2.9004A	25	137	215
1H4.6003A	1H5.6003A	55	105	185

Freigängigkeit der GT Kits				
Art.-Nr.		Caliper Clearance Guide		
1H4.6004A	1H5.6004A	56	103	185
1H4.8001A	N/A	52	122	200
1H4.8002A	N/A	52	122	200
1J1.9001A	1J2.9001A	11	126	224
1J1.9002A	1J2.9002A	40	126	224
1J1.9003A	1J2.9003A	42	126	224
1J1.9004A	1J2.9004A	40	126	224
1J1.9005A	1J2.9005A	38	126	224
1J1.9006A	1J2.9006A	40	126	224
1J1.9007A	1J2.9007A	11	126	224
1J1.9008A	1J2.9008A	11	126	224
N/A	1J2.9501A	45	145	247
N/A	1L2.9501A	39	133	234
1M0.8001A		47	122	210
1M1.8001A	1M2.8001A	24	122	210
1M1.8002A	1M2.8002A	29	122	210
1M1.8003A	1M2.8003A	29	122	210
1M1.8004A	1M2.8004A	29	122	210
1M1.8005A	1M2.8005A	29	122	210
1M1.8006A	1M2.8006A	39	122	210
1M1.8007A	1M2.8007A	39	122	210
1M1.8008A	1M2.8008A	39	122	210
1M1.8009A	1M2.8009A	23	122	210
1M1.8010A	1M2.8010A	13	122	210
1M1.8011A	1M2.8011A	50	122	210
1M1.8012A	1M2.8012A	44	122	210
1M1.8013A	1M2.8013A	46	122	210
1M1.8014A	1M2.8014A	51	122	210
1M1.8015A	1M2.8015A	44	122	210
1M1.8016A	1M2.8016A	46	122	210
1M1.8017A	1M2.8017A	36	122	210
1M1.8018A	1M2.8018A	36	122	210
1M1.8019A	1M2.8019A	40	122	210
1M1.8020A	1M2.8020A	39	122	210
1M1.8021A	1M2.8021A	47	122	210
1M1.8022A	1M2.8022A	47	122	210
1M1.8023A	1M2.8023A	32	122	210
1M1.8024A	1M2.8024A	47	122	210
1M1.8025A	1M2.8025A	49	122	210
1M1.8026A	1M2.8026A	58	122	210
1M1.8027A	1M2.8027A	36	122	210
1M1.8028A	1M2.8028A	35	122	210
1M1.8029A	1M2.8029A	51	122	210
1M1.8030A	1M2.8030A	42	122	210
1M1.8031A	1M2.8031A	46	122	210
1M1.8032A	1M2.8032A	50	122	210
1M1.8033A	1M2.8033A	51	122	210
1M1.8034A	1M2.8034A	34	122	210
1M1.8035A	1M2.8035A	23	122	210
1M1.8036A	1M2.8036A	32	122	210
1M1.8037A	1M2.8037A	48	122	210
1M1.8039A	1M2.8039A	34	122	210
1M1.8041A	1M2.8041A	45	122	210
1M1.8042A	1M2.8042A	35	122	210
1M1.8043A	1M2.8043A	47	122	210
1M1.9001A	1M2.9001A	40	134	221
1M1.9002A	1M2.9002A	46	134	221
1M1.9003A	1M2.9003A	51	134	221
1M1.9004A	1M2.9004A	29	134	221

Caliper Clearance Guide

Freigängigkeit der GT Kits				
Art.-Nr.		Caliper Clearance Guide		
1M1.9005A	1M2.9005A	29	134	221
1M1.9006A	1M2.9006A	29	134	221
1M1.9008A	1M2.9008A	55	134	221
1M1.9009A	1M2.9009A	21	134	221
1M1.9010A	1M2.9010A	24	134	221
1M1.9011A	1M2.9011A	46	134	221
1M1.9012A	1M2.9012A	47	134	221
1M1.9013A	1M2.9013A	55	134	221
1M1.9014A	1M2.9014A	24	134	221
1M1.9015A	1M2.9015A	51	134	221
1M1.9016A	1M2.9016A	29	134	221
1M1.9017A	1M2.9017A	36	134	221
1M1.9018A	1M2.9018A	32	134	221
1M1.9019A	1M2.9019A	20	134	221
1M1.9020A	1M2.9020A	47	134	221
1M1.9021A	1M2.9021A	45	134	221
1M1.9022A	1M2.9022A	34	134	221
1M1.9023A	1M2.9023A	24	134	221
1M1.9024A	1M2.9024A	50	134	221
1M1.9025A	1M2.9025A	43	134	221
1M1.9026A	1M2.9026A	54	134	221
1M1.9028A	1M2.9028A	40	134	221
1M1.9029A	1M2.9029A	43	134	221
1M1.9030A	1M2.9013A	46	134	221
1M1.9031A	1M2.9031A	46	134	221
2M1.9003A	2M2.9003A	54	134	221
1N0.8001A		47	122	210
1N0.8002A		47	122	210
1N1.8501A	1N2.8501A	52	126	213
1N1.8502A	1N2.8502A	52	126	213
1N1.8505A	1N2.8505A	35	134	221
1N1.9001A	1N2.9001A	20	134	221
1N1.9002A	1N2.9002A	48	134	221
1N1.9003A	1N2.9003A	35	134	221
1N1.9004A	1N2.9004A	40	134	221
1N1.9005A	1N2.9005A	40	134	221
1N1.9006A	1N2.9006A	26,7	132,1	220,7
1N1.9007A	1N2.9007A	51	134	221
1N1.9008A	1N2.9008A	33	134	221
1N1.9010A	1N2.9010A	38	134	221
1N1.9011A	1N2.9011A	48	134	221
1N1.9012A	1N2.9012A	36	134	221
1N1.9013A	1N2.9013A	33	134	221
1N1.9014A	1N2.9014A	48	134	221
1N1.9015A	1N2.9015A	36	134	221
1N1.9016A	1N2.9016A	37	134	221
1N1.9501A	1N2.9501A	29	145	231
1N1.9502A	1N2.9502A	16	145	231
1N1.9503A	1N2.9503A	35	145	231
1N1.9504A	1N2.9504A	20	145	241
1N1.9505A	1N2.9505A	35	145	231
1N1.9506A	1N2.9506A	31	145	231
1N1.9507A	1N2.9507A	29	145	231
1N1.9508A	1N2.9508A	16	145	231
N/A	1N2.9509A	45	144	232
N/A	1N2.9510A	45	144	232
1N1.9511A	1N2.9511A	42	145	231
1N1.9512A	1N2.9512A	14	145	231
1N1.9513A	1N2.9513A	20	145	231

Freigängigkeit der GT Kits				
Art.-Nr.		Caliper Clearance Guide		
1N1.9514A	1N2.9514A	29	145	231
1N1.9515A	1N2.9515A	36	145	231
1N1.9516A	1N2.9516A	31	145	231
1N1.9517A	1N2.9517A	31	145	231
1N1.9518A	1N2.9518A	28	145	231
1P1.8501A	1P2.8501A	39,5	124	211
1P1.8503A	N/A	25	119	207
1P1.8504A	N/A	41	119	207
1P1.8505A	N/A	41	119	207
201.8002A	202.8002A	OE	OE	OE
2A1.5001A	N/A	3	103	184
2A1.6001A	2A2.6001A	43	110	192
2A1.6002A	2A2.6002A	7	110	192
2A1.6003A	2A2.6003A	0	110	192
2B1.7001A	2B2.7001A	26	110	188
2B1.7002A	2B2.7002A	7	110	188
2B1.8001A	2B2.8001A	8	122	200
2B1.8002A	2B2.8002A	12	122	200
2B1.8003A	2B2.8003A	8	122	200
2B1.9001A	2B2.9001A	8	137	215
2B1.9002A	2B2.9002A	8	137	215
2C1.6001A	2C2.6001A	41	110	192
2C1.6002A	2C2.6002A	24	110	192
2C1.6004A	2C2.6004A	29	110	192
2C1.6005A	2C2.6005A	24	110	192
2C1.6006A	2C2.6006A	30	110	192
2C1.6007A	2C2.6007A	27	110	192
2C1.6009A	2C2.6009A	29	110	192
2C1.6010A	2C2.6010A	30	119	200
2C1.6012A	2C2.6012A	30	110	192
2C1.8001A	2C2.8001A	24	119	200
2C1.8002A	2C2.8002A	24	119	200
2C1.8003A	2C2.8003A	35	119	200
2C1.8004A	2C2.8004A	23	119	200
2C1.8005A	2C2.8005A	20	119	200
2C1.8006A	2C2.8006A	5	119	200
2C1.8007A	2C2.8007A	5	119	200
2C1.8008A	2C2.8008A	14	119	200
2C1.8009A	2C2.8009A	24	119	200
2C1.8010A	2C2.8010A	4	119	200
2C1.8011A	2C2.8011A	0	119	200
2C1.8012A	2C2.8012A	17	119	200
2C1.8013A	2C2.8013A	24	119	200
2C1.8014A	2C2.8014A	24	119	200
2C1.8015A	2C2.8015A	20	119	200
2C1.8016A	2C2.8016A	49	119	200
2C1.8017A	2C2.8017A	17	119	200
2C1.8018A	2C2.8018A	39	119	200
2C1.8019A	2C2.8019A	20	119	200
2C1.8020A	2C2.8020A	35	119	200
2C1.8021A	2C2.8021A	18	119	200
2C1.8022A	2C2.8022A	13	119	200
2C1.8024A	2C2.8024A	30	119	200
2C1.8025A	2C2.8025A	18	119	200
2C1.8026A	2C2.8026A	24	119	200
2C1.8027A	2C2.8027A	17	119	200
2C1.8028A	2C2.8028A	20	119	200
N/A	2C2.9001A	47	138	221
N/A	2C2.9002A	39	138	221

Caliper Clearance Guide

Freigängigkeit der GT Kits				
Art.-Nr.		Caliper Clearance Guide		
2C4.7001A	N/A	35	117	198
2C4.7002A	N/A	35	117	198
2D0.6001A		-	-	-
2D0.6002A		-	-	-
2D0.8001A		-	-	-
2E4.4001A	2E5.4001A	25	98	173
2E4.4002A	2E5.4002A	25	98	173
2E4.5001A	2E5.5001A	15	109	184
2H1.8003A	2H2.8003A	12	122	200
2H1.9001A	2H2.9001A	38	137	215
2H1.9002A	2H2.9002A	12	137	215
2M1.9002A	2M1.9002A	55	134	221
2P0.8001A		51	119	207
2P1.6006A	2P2.6006A	32	106	194
2P1.8001A	2P2.8001A	10	114	203
2P1.8002A	2P2.8002A	29	114	203
2P1.8004A	2P2.8004A	29	114	203
2P1.8005A	2P2.8005A	29	114	203
2P1.8010A	2P2.8010A	23	114	203
2P1.8011A	2P2.8011A	23	114	203
2P1.8012A	2P2.8012A	40	114	203
2P1.8013A	2P2.8013A	40	114	203
2P1.8020A	2P2.8020A	33	114	203
2P1.8021A	2P2.8021A	28	114	203
2P1.8022A	2P2.8022A	13	114	203
2P1.8023A	2P2.8023A	28	114	203
2P1.8025A	2P2.8025A	26	114	203
2P1.8026A	2P2.8026A	23	114	203
2P1.8028A	2P2.8028A	32	114	203
2P1.8031A	2P2.8031A	34	114	203
2P1.8033A	2P2.8033A	29	114	203
2P1.8034A	2P2.8034A	37	114	203
2P1.8036A	2P2.8036A	37	114	203
2P1.8037A	2P2.8037A	30	114	203
2P1.8038A	2P2.8038A	11	114	203
2P1.9001A	2P2.9001A	17	131	219
2P1.9002A	2P2.9002A	16	131	219
2P1.9003A	2P2.9003A	29	131	219
2P1.9004A	2P2.9004A	15	131	219
2P1.9005A	2P2.9005A	15	131	219
2P1.9006A	2P2.9006A	32	131	219
2P1.9007A	2P2.9007A	39	131	219
2P1.9008A	2P2.9008A	36	131	219
2P1.9009A	2P2.9009A	24	131	219
2P1.9010A	2P2.9010A	8	131	219
2P1.9011A	2P2.9011A	32	131	219
2P1.9012A	2P2.9012A	17	131	219
2P1.9013A	2P2.9013A	29	131	219
2C4.7001A	N/A	35	117	198
2C4.7002A	N/A	35	117	198
2D0.6001A		-	-	-
2D0.6002A		-	-	-
2D0.8001A		-	-	-
2E4.4001A	2E5.4001A	25	98	173
2E4.4002A	2E5.4002A	25	98	173
2E4.5001A	2E5.5001A	15	109	184
2H1.8003A	2H2.8003A	12	122	200

Freigängigkeit der GT Kits				
Art.-Nr.		Caliper Clearance Guide		
2H1.9001A	2H2.9001A	38	137	215
2H1.9002A	2H2.9002A	12	137	215
2M1.9002A	2M1.9002A	55	134	221
2P0.8001A		51	119	207
2P1.6006A	2P2.6006A	32	106	194
2P1.8001A	2P2.8001A	10	114	203
2P1.8002A	2P2.8002A	29	114	203
2P1.8004A	2P2.8004A	29	114	203
2P1.8005A	2P2.8005A	29	114	203
2P1.8010A	2P2.8010A	23	114	203
2P1.8011A	2P2.8011A	23	114	203
2P1.8012A	2P2.8012A	40	114	203
2P1.8013A	2P2.8013A	40	114	203
2P1.8020A	2P2.8020A	33	114	203
2P1.8021A	2P2.8021A	28	114	203
2P1.8022A	2P2.8022A	13	114	203
2P1.8023A	2P2.8023A	28	114	203
2P1.8025A	2P2.8025A	26	114	203
2P1.8026A	2P2.8026A	23	114	203
2P1.8028A	2P2.8028A	32	114	203
2P1.8031A	2P2.8031A	34	114	203
2P1.8033A	2P2.8033A	29	114	203
2P1.8034A	2P2.8034A	37	114	203
2P1.8036A	2P2.8036A	37	114	203
2P1.8037A	2P2.8037A	30	114	203
2P1.8038A	2P2.8038A	11	114	203
2P1.9001A	2P2.9001A	17	131	219
2P1.9002A	2P2.9002A	16	131	219
2P1.9003A	2P2.9003A	29	131	219
2P1.9004A	2P2.9004A	15	131	219
2P1.9005A	2P2.9005A	15	131	219
2P1.9006A	2P2.9006A	32	131	219
2P1.9007A	2P2.9007A	39	131	219
2P1.9008A	2P2.9008A	36	131	219
2P1.9009A	2P2.9009A	24	131	219
2P1.9010A	2P2.9010A	8	131	219
2P1.9011A	2P2.9011A	32	131	219
2P1.9012A	2P2.9012A	17	131	219
2P1.9013A	2P2.9013A	29	131	219
2P1.9014A	2P2.9014A	54	131	219
2P1.9015A	2P2.9015A	22	131	219
2P1.9016A	2P1.9016A	46	131	219
2P1.9017A	2P2.9017A	11	132	219
2P1.9019A	2P2.90109A	11	131	219
2P1.9020A	2P2.9020A	33	131	219
2P1.9021A	2P2.9021A	28	131	219
2P1.9023A	2P2.9023A	39	131	219
2P1.9024A	2P2.9024A	15	131	219

Änderungen und Irrtümer vorbehalten!

Stand 24.03.10

Caliper Clearance Guide

